



249.00 EUR

incl. 19% VAT, plus shipping

- High brightness !
- 400 nits !
- Slim design !
- Perfect for MiniMac !

Support:  [Drawing \(PDF\)](#) | [800x480 Driver \(Windows 7\)](#)

New : LED-Backlight-Technology, with optimized color saturation enabling particular high and shining display. The scale of displayable color nuances is increased by 45% because of the new technology. Conventional LCDs are based on CCFL backlight, which can display approx. 72% of the standard color scale of NTSC (National Television Systems Committee). With LED-Backlight-Technology 104% of the NTSC-color scale can be displayed. This results in displaying in a highly realistic manner.

A bargain display, but with many features :

- Long All-In-One connector-cable
- High brightness (400 nits)
- Many accessories
- rear camera input

Driver-CD included, compatible with :

- Windows 95/98/ME/NT4/2000/XP/7/8/8.1/10
- XP Tablet PC Edition
- Windows CE 2.12, 3.0, .net
- Linux RedHat,Mandrake,..
- Macintosh OS 9.x, 10.x
- DOS,..

Spezifikationen

<i>Screen size</i>	7" digital
<i>Aspect Ratio</i>	16:9 wide TFT screen
<i>Dot Resolution</i>	2400x480= 1,152,000 dots
<i>Physical Resolution</i>	800x480
<i>Supported Resolutions</i>	640x480-1900x1200 (also eg. 1366x768)
<i>Color configuration</i>	RGB stripe
<i>Power input</i>	DC 12V
<i>Power consumption</i>	max. 8W
<i>Video system</i>	3x Video inputs (PAL/NTSC) 1x VGA input
<i>Dimensions</i>	Display Case : 178x130x27 mm Display : 154 x 93 mm Headrest Mounting : 203x151x27 mm Video input signal: 1.0Vp-p, composite video
<i>Video input signal</i>	400 cd/m ²
<i>Brightness</i>	500:1
<i>Contrast</i>	IEC68-2-6
<i>Vibration</i>	0° to 70°C
<i>Operating Temperature</i>	Full function OSD control (english) Built-in speakers Auto Power On/Off Automatic switching to rear camera (by a 12V cable)
<i>Features</i>	- 7" VGA TFT with Video-support - Infrared Remote Control - Car dash mounting bracket - Head rest shroud - VGA/Video/Audio/Power-cable (all-in-one !) 2,5 meters length - Power Adapter f. EU 230V - Cigarette Lighter Adapter - Manual
<i>What is included ?</i>	



Displays with [True-800x480-Support](#) achieve a pixel accurate view at 800x480@70Hz

