

359.00 EUR

incl. 19% VAT, plus [shipping](#)

- Audio speakers !
- USB-Hub !
- 800x600 !
- Auto-Dimmer !



CARTFT.COM



The new CTF-1040-A TFT-Display is equipped with a 10.4" TFT panel and comes with many nice features. In any case it is the ideal display- and input-unit for your Laptop, CarPC or HTPC. Because of the 4:3 aspect ratio and the size of 10.4", the display is perfectly suitable for being used in POS-section or on boats. With the touchscreen functionality you easily can control your PC. The brilliant VGA-display ensures a maximum readability and sharpness.

The device has among other features integrated Stereo-speakers and an rear camera input and the Auto dimmer sensor in the front

will enable perfect viewing pleasure also during the night. On the rear side there is integrated an holder for the touchscreen pencil.

On the rear side you also will find a free USB-port, which you can use with any USB-device you want. The connection to the PC happens with the same cable, which connects the touchscreen !

AC-Adapter for home usage and a car cigarette lighter adapter is included as well as the IR-remote-control unit and the extra long (2,5 meters) All-In-One connector cable.

The CTF-1040-A can be used with any PC/MAC with VGA- and USB port.

Driver-CD included, compatible with :

- Windows 95/98/ME/NT4/2000/XP
- XP Tablet PC Edition
- Windows CE 2.12, 3.0, .net
- Linux RedHat,Mandrake,..
- Macintosh OS 9.x, 10.x
- DOS,..

| Spezifikationen | |
|------------------------|--|
| Screen size | 10.4" digital |
| Aspect Ratio | 4:3 wide TFT screen |
| Dot Resolution | 2400x600= 1,440,000 dots |
| Physical Resolution | 800x600 |
| Supported Resolutions | 640x480-1024x768 |
| Color configuration | RGB stripe |
| Power input | DC 12VDC |
| Power consumption | max. 15W |
| Video system | 3x Video inputs (PAL/NTSC) 1x VGA input |
| Dimensions | Display Case : 252mm x 208mm x 31mm Display : 211mm x 158mm |
| Video input signal | 1.0Vp-p, composite video |
| Brightness | 300 cd/m ² |
| Contrast | 500:1 |
| Vibration | IEC68-2-6 |
| Operating Temperature | -10° bis 60°C |
| Features | Full function OSD control (englisch) |
| | Built-in Stereo-speakers |
| | Touchscreen-pencil integrated in rear enclosure |
| | free USB-port (rear side) |
| | Auto-Dimmer |
| | VESA compliant mounting holes (75mm) + metal rail |
| | Auto Power On/Off |
| | Automatic switching to rear camera (signal sensing on AV3) |
| What is included ? | - 10.4" VGA Touchscreen TFT with Video/Audio-support |
| | - Infrared Remote Control |
| | - Car dash VESA mounting bracket |
| | - Touchscreen pencil |
| | - VGA/Video/Audio/Touchscreen-cable (all-in-one !) 2,5 meters length |
| | - Power Adapter f. EU 230V |
| | - Cigarette Lighter Adapter |
| | - Touchscreen Driver-CD |

| | |
|--|--------|
| | Manual |
|--|--------|